



**AVAILABLE MODELS:**




HI-250




HI-210



HI-216




HI-220




HI-230



HI-225



HI-110



HI-125

**COMMON FEATURES OF THE SERIES:**

- Bathtub and shower enclosure with sliding and fixed panels.
- 6 mm safety glass.
- Profile finishes in White, Polished Silver, Chrome, Black and Gold.
- Turín handle in Chrome and Black finish as standard.
- Reduced vertical profiles with 10 mm offset.
- Equipped with magnetic or contact closure according to configuration.
- Progressive lock included in models: HI-210, HI-216, HI-230 and HI-250.
- Sliding panels without lower guide.
- Anti-rollover system.
- Panel release system included.
- Bearings adjustable in height by 4 mm.
- Quick mounting system
- See series optional accessories.
- Teknoclean as standard.

**FINISHES:**

- Anodized profiles in white, gold y black.

**COMPOSITION/MATERIALS:**

Profiles: .....Aluminium. Alloy 6063  
 Metallic pieces: .....Zamak, Steel  
 Chromed plastic covers: .....ABS  
 Transparent plastic lids: .....ABS  
 Rollers: .....Steel ball bearings, brass inside track, POM outside track  
 Seals: .....PVC

**TESTS:**

The HIT collection complies with the European standard EN 14428, exceeding all the tests stipulated therein, as detailed below.

Characteristic to be tested	Assessment method	Compliance criteria	Apt
Cleanability	Visual examination. (4.2)	Free from sharp corners, edges and burrs. (4.2)	✓
Impact resistance / shatter properties	R100, 40 particles minimum. (5.1, 5.2)	Thermally toughened safety glass. (4.3)	✓
Corrosion resistance	240 hours in salt spray. (4.4.2)	Corrosion-proof. (4.4.2)	✓
Resistance to chemicals and stains	Reagents: acids, alkalis, alcohols,bleaches, staining agents. (5.3)	Not showing permanent staining or deterioration. (4.4.3)	✓
Resistance to wet and dry cycling	Wet and dry 50 cycles. (5.4)	Not showing any cracks, crazing or discoloration after 50 cycles. (4.4.4)	✓
Endurance	20.000 closing-opening cycles. (5.5)	Not showing any functional deterioration. (4.4.5)	✓
Stability	Resistance to impact. (5.6)	Resists the impact without any functional deterioration. (4.4.6)	✓
Water retention	Watertightness. (5.7)	Retains water. (4.4.7)	✓

**QUALITY CERTIFICATES:**



**MODEL EXAMPLE:**

