


AVAILABLE MODELS:



COMMON FEATURES OF THE SERIES:

- Bathtub and shower enclosure with hinged models. Possibility of outward or inward opening.
- Safety glass available in 6 and 8 mm.
- Profile finishes in Chrome and Black.
- Base profile, hinges and bars in Chrome and Black finish.
- Siena handle in Chrome and Black finish as standard.
- Hinges and brackets with front offset ± 2 mm.
- For configurations with fixed panel multi-position stabilizer bars in Chrome and Black finish included.
- Possibility to replace the fixed brackets with profile to wall with offset up to 15 mm.
- Equipped with magnetic or contact closure according to configuration.
- This series has marking templates for easy installation (standard height only).
- See series optional accessories.
- Teknoclean as standard.

FINISHES:

- Anodized profiles in black.

COMPOSITION/MATERIALS:

Profiles:Aluminium. Alloy 6063
 Metallic pieces:Zamak, Steel
 Chromed plastic covers:ABS
 Transparent plastic lids:ABS
 Rollers:Steel ball bearings, brass inside track, POM outside track
 Seals:PVC

TESTS:

The NEWGLASS collection complies with the European standard EN 14428, exceeding all the tests stipulated therein, as detailed below.

Characteristic to be tested	Assessment method	Compliance criteria	Apt
Cleanability	Visual examination. (4.2)	Free from sharp corners, edges and burrs. (4.2)	✓
Impact resistance / shatter properties	R100, 40 particles minimum. (5.1, 5.2)	Thermally toughened safety glass. (4.3)	✓
Corrosion resistance	240 hours in salt spray. (4.4.2)	Corrosion-proof. (4.4.2)	✓
Resistance to chemicals and stains	Reagents: acids, alkalis, alcohols, bleaches, staining agents. (5.3)	Not showing permanent staining or deterioration. (4.4.3)	✓
Resistance to wet and dry cycling	Wet and dry 50 cycles. (5.4)	Not showing any cracks, crazing or discoloration after 50 cycles. (4.4.4)	✓
Endurance	20.000 closing-opening cycles. (5.5)	Not showing any functional deterioration. (4.4.5)	✓
Stability	Resistance to impact. (5.6)	Resists the impact without any functional deterioration. (4.4.6)	✓
Water retention	Watertightness. (5.7)	Retains water. (4.4.7)	✓

QUALITY CERTIFICATES:



MODEL EXAMPLE:

