







SERIES HADA PLUS

TECHNICAL DATA

AVAILABLE MODELS:





HP-240

FEATURES:

- 6 mm tempered glass.
- +20 mm offset profile.
- Rubber sealing system on profile.
- Panel opening at 90, 180 and 270 degrees.
- Reversible enclosure.
- Teknoclean treatment included.
- 5 years guarantee.
- Spare parts supply guaranteed: 10 years.

COMPOSITION/MATERIALS:

- Frames: Aluminium. Chrome finish alloy 6463 and the rest of finishes alloy 6063.
- Chromed plastic covers:ABS
- Transparent plastic lids:PP

TESTS:

HADA PLUS series complies with European standard EN 14428 having passed all the tests provided for therein and detailed below.

Characteristic to be tested	Assessment method	Compliance criteria	Apt
Cleanability	Visual examination. (4.2)	Free from sharp corners, edges and burrs. (4.2)	\checkmark
Impact resistance / shatter properties	R100, 40 particles minimum. (5.1, 5.2)	Thermally toughened safety glass. (4.3)	\checkmark
Corrosion resistance	240 hours in salt spray. (4.4.2)	Corrosion-proof. (4.4.2)	V
Resistance to chemicals and stains	Reagents: acids, alkalis, alcohols,bleaches, staining agents. (5.3)	Not showing permanent staining or deterioration. (4.4.3)	Y
Resistance to wet and dry cycling	Wet and dry 50 cycles. (5.4)	Not showing any cracks, crazing or discoloration after 50 cycles. (4.4.4)	\checkmark
Endurance	20.000 closing-opening cycles. (5.5)	Not showing any functional deterioration. (4.4.5)	\checkmark
Stability	Resistance to impact (5.6)	Resists the impact without any functional deterioration. (4.4.6)	Y
Water retention	Watertightness. (5.7)	Resists the impact without any functional deterioration. (4.4.6)	\checkmark

QUALITY CERTIFICATES:



UNE-EN 14428:2016 Bath enclosures



UNE-EN 14428:2016 Bath enclosures



UNE 166002:2014 R&D&I management



ISO 9001:2015 Quality Management System



ISO 9001:2015 Quality Management System

EXAMPLE MODEL:













